

## MALE NPTF X HOSE BARB



DATE  
: 05/24/2026 04:30 PM

SKU  
: 201

BRAND  
: DIXON VALVE

MODEL  
: 1021206C

Applications:  
Industrial air and non-potable water service  
Compressor lines, pneumatic tools, low pressure spray  
Construction air and water transfer

Use:  
All standard hose fittings are intended for use with hose clamps or crimped ferrules.

Specifications:  
4 Barbs, 2.00" OAL

Construction:  
C360 Brass

Safety notes:  
WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

### TECHNICAL SPECIFICATIONS

<b>Description</b>	3/4" Hose x 3/8" Male NPTF Brass Hose Barb
<b>Factory Part Number</b>	1021206C
<b>Hex</b>	7/8"
<b>Hose ID</b>	3/4"
<b>Length</b>	2"
<b>Material</b>	C360 Brass
<b>Pressure Range</b>	250 PSI at 72°F,   150 PSI at

\* Referential image  
\*\* Some features may vary without prior notice. Sale subject to inventory availability

**Pressure Range**

250 PSI at 72°F, <br/> 150 PSI at

- Page 2/3 -

<b>Size</b>	3/4" Hose x 3/8" Male NPTF
<b>Temperature Range</b>	-40°F to 160°F
<b>Weight Lb</b>	0.1150