

**PARKER E-Z-MATE INDUSTRIAL  
COUPLER MALE NPT**



\* Referential image  
\*\* Some features may vary without prior notice. Sale subject to inventory availability

DATE  
: 05/24/2026 03:55 AM

SKU  
: 11427

BRAND  
: DIXON VALVE

MODEL  
: DC2103SE

Specifications:  
ISO 4414 requirements for a controlled pressure release system

Features:  
Ez-Mate couplings combine push-to-connect, exhaust-style action with a self-locking valve sleeve to guard against accidental disconnection.

How it works:  
Simply follow the on-off arrow stamped on the yellow chromate valve sleeve. Valve sleeve acts as an integral shut-off valve that allows connection and disconnection at zero pressure. When the sleeve is moved to shut off air flow, it automatically vents downstream allowing for disconnection at zero pressure and eliminating the risk of hose whip.

Safety notes:  
Not recommended for vacuum service  
WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**TECHNICAL SPECIFICATIONS**

<b>Body Size</b>	1/4"
<b>Factory Part Number</b>	DC2103SE
<b>Flow</b>	37 CFM at 100 PSI
<b>Male Thread</b>	NPT
<b>Male Thread Size</b>	3/8"-18
<b>Material</b>	Steel
<b>Pressure Rating</b>	300 PSI
<b>Temperature Range</b>	-40°F to +250°F (-40°C to +121°C)

**TECHNICAL SPECIFICATIONS**

<b>Weight Lb</b>	0.3100
------------------	--------