


DQC HS-SERIES ISO-B STEAM INTERCHANGE FEMALE PLUG



* Referential image

** Some features may vary without prior notice. Sale subject to inventory availability

DATE
: 05/23/2026 10:04 AM

SKU
: 24651

BRAND
: DIXON VALVE

MODEL
: HS6BF6-B

Applications:
Designed exclusively for steam applications

Construction:
Machined components are manufactured using solid bar stock
Stainless steel balls, retaining rings and springs maximize corrosion resistance and extend service life.
Special high-temp EPDM O-rings designed for steam service

Compatibility & Interchange Data:
Interchangeable to ISO7241 Series 'B'
Parker 60-Series Steam Couplings

Safety notes:
Maximum working pressure has been calculated using standard saturated steam at 194°C (382°F) for general purpose continuous service. For advanced operating pressure or super-heated steam applications, contact Dixon for further information.

Warning: Do not disconnect under pressure!

WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov

TECHNICAL SPECIFICATIONS

| | |
|----------------------------|--|
| Body Size | 3/4" |
| Factory Part Number | HS6BF6-B |
| Hex | 1-5/16" |
| Length | 2.43" (61.7mm) |
| Material | Brass |
| Maximum OD | 1.44" (36.6 mm) |
| Pressure Rating | Rated to 200 PSI gauge saturated steam 382°F (194°C) |
| Temperature Range | -70°F to +400°F (-57°C to +204°C) |
| Thread | Female BSPP |
| Thread Size | 3/4"-14 |
| Weight Lb | 0.4900 |