

**DIX-LOCK® N-SERIES BOWES
INTERCHANGE COUPLER WITH
FERRULE MALE LOCKING
HEAD**



DATE
: 07/10/2026 06:15 AM

SKU
: 25114

BRAND
: DIXON VALVE

MODEL
: N4S4-LS-WF

Construction:

Machined components are manufactured using solid steel bar stock
Stainless steel retaining ring and spring maximize corrosion resistance and extend service life

Steel componentry is plated using ROHS Compliant Trivalent Chrome

Coupling sleeve constructed of cast zinc steel

Aluminum lock ring

Available Options:

Also available in stainless steel, contact Dixon® for further information

Compatibility & Interchange Data:

Bowes Interchange Bayonet Style

Interchangeable with Bowes 51000-Series, National Series 'B', MacDonald

Quick-Action, Campbell Single-Lock

Safety notes:

WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov

* Referential image

** Some features may vary without prior notice. Sale subject to inventory availability

TECHNICAL SPECIFICATIONS

Body Size	1/2"
Factory Part Number	N4S4-LS-WF
Hose ID	1/2"
Hose OD From	5/4"
Hose OD To	1-2/64"
Material	Plated Steel
Pressure Rating	300 PSI at ambient temperature 70°F

Pressure Rating

300 PSI at ambient temperature 70°F

- Page 2/3 -

Weight Lb

0.7000