

**DQC V-SERIES SNAP-TITE H/H
INTERCHANGE UNVALVED
MALE PLUG**



* Referential image
** Some features may vary without prior notice. Sale subject to inventory availability

DATE
: 05/24/2026 01:21 PM

SKU
: 21612

BRAND
: DIXON VALVE

MODEL
: V6M6-SS-E

Features:
General purpose hydraulic quick-connect provides superior flow characteristics with built-in reliability

Construction:
Machined components are manufactured using solid bar stock

Compatibility & Interchange Data:
Interchangeable to MIL-C-51234
Snap-Tite H and Faster TNV

Safety notes:
WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov

TECHNICAL SPECIFICATIONS

| | |
|-----------------------------------|-----------------------------------|
| Body Size | 3/4" |
| Burst Pressure | 22600 PSI (1500 bar) |
| Factory Part Number | V6M6-SS-E |
| Hex | 1-3/16" |
| Length | 2.19" (55.6mm) |
| Material | 316 Stainless Steel |
| Maximum OD | 1.31" (33.3mm) |
| Maximum Operating Pressure | 7000 PSI (480 bar) |
| Temperature Range | -40°F to +250°F (-40°C to +121°C) |
| Thread | Male NPTF |



Weight Lb

0.2800