11-009 SERIES 1 FRL'S WATER REGULATOR



** Imágenes referenciales*
*** Algunas características pueden variar sin previo aviso, venta sujeta a stock disponible*

FECHA
: 11/05/2026 04:46 AM

SKU
: 25946

MARCA
: DIXON VALVE

MODELO
: 11-009-065

Applications:
Balanced valve minimizes effects of inlet pressure variations on outlet pressure.

Features:
T-handle adjustment
Non-relieving type

Construction:
Body, valve and bottom plug are brass
Bonnet is aluminum and steel
Elastomers are nitrile

Safety notes:
FRL\'s are designed for air service only, unless otherwise indicated.
Pressure rating given at ambient temperature 70°F/21°C.
Flow ratings given at 150 PSIG inlet pressure
WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov

ESPECIFICACIONES TÉCNICAS

Factory Part Number	11-009-065
Flow	27.5 GPM
Inlet Pressure	400 PSI
Port	3/4"
Temperature Range	Water Service: 35° to 200°F (2°C to 93°C), Air Service: -30° to 200°F (-34°C to 93°C)

2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us

KMX

2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU

sales@kmxusa.us

www.kmxusa.us

KMX
2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us

KMX

2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU

sales@kmxusa.us

www.kmxusa.us

KMX
2645 Executive Park Drive, Weston, Fort Lauderdale, FL 33331, EEUU
sales@kmxusa.us
www.kmxusa.us